

ANNEX 1.

Every Woman Every Child Global Strategy for Women's, Children's and Adolescents' Health: country data on the 16 key indicators

This data annex provides a snapshot, as of 28 June 2017, of the country data and/or estimates on the subset of 16 key indicators of the *Every Woman Every Child Global Strategy for Women's, Children's and Adolescents' Health (EWEC Global Strategy)* for all 194 WHO Member States. Notes and references on the indicators are shown after the table.

The latest information for the full set of 60 EWEC *Global Strategy* indicators, for all countries, is available from the *Global Strategy* data portal at the WHO Global Health Observatory: <http://apps.who.int/gho/data/node.gswcah>. The portal will be updated regularly, and therefore the data in this annex may differ from the information on the portal.

Some of the figures presented in this annex are point estimates, and should be interpreted within the context of uncertainty intervals which are available from the original sources provided in the table at the end of the annex. In the data portal the figures for some indicators are shown to 1 or 2 decimal places, whereas this annex rounds nearly all figures to the nearest whole number.

KEY

Grey shaded cell = no country-level data/estimate available on the EWEC *Global Strategy* portal or data/estimate from before 2005

Regular cell = data/estimate from 2010 to date

Regular cell with () = data/estimate for years between 2005 and 2009 inclusive

SDG indicator	Survive				Thrive			
	3.1.1	3.2.1	3.2.2		2.2.1	3.7.2	3.8.1	
Global Strategy indicator	Maternal mortality ratio (maternal deaths per 100 000 live births) ¹	Under-5 mortality rate (probability of dying by age 5 per 1000 live births) ²	Neonatal mortality rate (per 1000 total births) ³	Stillbirth rate (per 1000 live births) ⁴	Adolescent mortality rate (per 100 000 population) ^{5 a}	Children aged <5 years stunted (%) ⁶	Adolescent birth rate (per 1000 women aged 15–19 years) ⁷	RMNCH Composite Coverage Index ^{8 b}
Afghanistan	396	91	36	27	208	59	52	-
Albania	29	14	6	4	30	(23)	20	(87)
Algeria	140	26	16	19	65	12	12	-
Andorra	-	3	1	2	-	-	4	-
Angola	477	157	49	27	346	(29)	(191)	-
Antigua and Barbuda	-	8	5	6	41	-	67	-
Argentina	52	13	6	5	56	(8)	68	-
Armenia	25	14	7	14	37	21	23	86
Australia	6	4	2	3	20	(2)	14	-
Austria	4	4	2	4	20	-	8	-
Azerbaijan	25	32	18	17	37	18	47	(64)
Bahamas	80	12	7	10	46	-	35	-
Bahrain	15	6	1	6	30	14	14	-
Bangladesh	176	38	23	25	64	36	113	-
Barbados	27	13	8	9	36	8	(50)	-
Belarus	4	5	2	3	35	(5)	22	-
Belgium	7	4	2	3	19	-	7	-
Belize	28	17	8	10	91	19	64	80
Benin	405	100	32	30	198	34	94	58
Bhutan	148	33	18	16	121	34	28	-
Bolivia (Plurinational State of)	206	38	20	13	139	(27)	116	(71)
Bosnia and Herzegovina	11	5	4	5	25	9	11	85
Botswana	129	44	22	15	110	(31)	39	-
Brazil	44	16	9	9	80	(7)	65	-
Brunei Darussalam	23	10	4	7	27	(20)	(17)	-
Bulgaria	11	10	6	6	38	9	41	-
Burkina Faso	371	89	27	21	224	35	(130)	65
Burundi	712	82	29	27	277	58	85	67
Cabo Verde	42	25	12	14	46	21	90	-
Cambodia	161	29	15	12	124	32	57	80
Cameroon	596	88	26	20	273	32	119	59
Canada	7	5	3	3	23	6	13	-

Thrive				Transform				SDG indicator
5.6.2	7.1.2	16.9.1	4.1.1	16.2.3	6.2.1			
Out-of-pocket expenditure as a % of total expenditure on health ⁹	Per capita government expenditure on health (current US\$) ¹⁰	Laws and regulations that guarantee women aged 15–49 access to sexual and reproductive health care, information and education ¹¹	% of population with primary reliance on clean fuels and technologies at the household level ¹²	Civil registration coverage of births (%) ¹³	% of girls at the end of lower secondary education achieving at least minimum proficiency in reading ^{14 c}	% of women aged 18–29 who experienced sexual violence by age 18 ^{15 d}	Population using improved sanitation facilities (%) ¹⁶	Global Strategy indicator
64	20	-	17	37	-	-	-	32
50	136	-	67	(99)	51	-	93	Albania
27	263	-	>95	>90	-	-	88	Algeria
16	2923	-	>95	100	-	-	100	Andorra
24	115	-	48	36	-	-	52	Angola
24	528	-	>95	>90	-	-	-	Antigua and Barbuda
31	335	-	>95	100	54	-	96	Argentina
54	69	-	>95	100	-	-	89	Armenia
19	4043	-	>95	100	91	-	100	Australia
16	4345	-	>95	100	87	-	100	Austria
72	96	-	>95	>90	-	(0.1)	89	Azerbaijan
29	789	-	>95	-	-	-	92	Bahamas
23	786	-	>95	>90	-	-	99	Bahrain
67	9	-	10	30	-	-	61	Bangladesh
30	728	-	>95	99	-	-	96	Barbados
32	296	-	>95	100	-	-	94	Belarus
18	3803	-	>95	100	88	-	99	Belgium
23	187	-	87	95	-	-	91	Belize
39	19	-	7	85	-	-	20	Benin
25	65	-	68	100	-	-	50	Bhutan
23	150	-	79	(76)	-	-	50	Bolivia (Plurinational State of)
28	330	-	40	>90	-	-	95	Bosnia and Herzegovina
5	227	-	63	(72)	-	-	63	Botswana
25	436	-	93	96	57	-	83	Brazil
6	899	-	>95	(>90)	-	-	-	Brunei Darussalam
44	361	-	79	100	73	-	86	Bulgaria
39	18	-	7	77	-	-	20	Burkina Faso
21	11	-	<5	75	-	-	48	Burundi
22	130	-	71	91	-	-	72	Cabo Verde
74	14	-	13	73	-	2	42	Cambodia
66	13	-	18	66	-	16	46	Cameroon
14	3753	-	>95	100	93	-	100	Canada

SDG indicator	Survive				Thrive			
	3.1.1	3.2.1	3.2.2		2.2.1	3.7.2	3.8.1	
Global Strategy indicator	Maternal mortality ratio (maternal deaths per 100 000 live births) ¹	Under-5 mortality rate (probability of dying by age 5 per 1000 live births) ²	Neonatal mortality rate (per 1000 total births) ³	Stillbirth rate (per 1000 live births) ⁴	Adolescent mortality rate (per 100 000 population) ^{5 a}	Children aged <5 years stunted (%) ⁶	Adolescent birth rate (per 1000 women aged 15–19 years) ⁷	RMNCH Composite Coverage Index ^{8 b}
Central African Republic	882	130	43	34	361	41	(229)	45
Chad	856	139	39	40	348	40	(203)	27
Chile	22	8	5	3	36	2	52	-
China	27	11	6	7	30	9	6	-
Colombia	64	16	9	8	91	13	(84)	84
Comoros	335	74	34	31	144	32	70	62
Congo	442	45	18	15	173	21	147	73
Cook Islands	-	8	4	9	-	-	56	-
Costa Rica	25	10	6	6	44	(6)	61	90
Côte d'Ivoire	645	93	38	27	429	30	(125)	56
Croatia	8	4	3	2	22	1	12	-
Cuba	39	6	2	6	31	7	53	-
Cyprus	7	3	2	4	8	-	4	-
Czechia	4	3	2	3	19	3	11	-
Democratic People's Republic of Korea	82	25	14	14	73	28	(1)	-
Democratic Republic of the Congo	693	98	30	27	252	43	138	59
Denmark	6	4	3	2	12	-	2	-
Djibouti	229	65	33	35	214	34	21	(64)
Dominica	-	21	16	12	-	-	(47)	-
Dominican Republic	92	31	22	11	71	7	90	82
Ecuador	64	22	11	8	78	25	100	-
Egypt	33	24	13	12	66	22	56	79
El Salvador	54	17	8	12	118	14	72	-
Equatorial Guinea	342	94	33	16	245	26	176	-
Eritrea	501	47	18	23	91	50	(76)	-
Estonia	9	3	2	3	26	-	16	-

	Thrive				Transform				SDG indicator
	5.6.2	7.1.2	16.9.1	4.1.1	16.2.3	6.2.1			
Out-of-pocket expenditure as a % of total expenditure on health ⁹	Per capita government expenditure on health (current US\$) ¹⁰	Laws and regulations that guarantee women aged 15–49 access to sexual and reproductive health care, information and education ¹¹	% of population with primary reliance on clean fuels and technologies at the household level ¹²	Civil registration coverage of births (%) ¹³	% of girls at the end of lower secondary education achieving at least minimum proficiency in reading ^{14 c}	% of women aged 18–29 who experienced sexual violence by age 18 ^{15 d}	Population using improved sanitation facilities (%) ¹⁶		Global Strategy indicator
46	8	-	<5	61	-	-	-	22	Central African Republic
39	20	-	4	12	-	-	-	12	Chad
32	563	-	>95	99	73	-	-	99	Chile
32	234	-	57	-	-	-	-	76	China
15	428	-	91	97	53	3	81	Colombia	
45	19	-	7	87	-	3	36	Comoros	
18	132	-	18	96	-	-	15	Congo	
10	467	-	80	>90	-	-	98	Cook Islands	
25	705	-	>95	100	74	-	95	Costa Rica	
51	26	-	18	65	-	-	-	Côte d'Ivoire	
11	860	-	94	>90	91	-	97	Croatia	
4	781	-	87	100	-	-	93	Cuba	
49	823	-	>95	100	-	-	100	Cyprus	
14	1165	-	>95	100	89	-	99	Czechia	
-	-	-	7	(100)	-	-	82	Democratic People's Republic of Korea	
39	7	-	6	25	-	13	29	Democratic Republic of the Congo	
13	5479	-	>95	100	90	-	100	Denmark	
36	122	-	10	(92)	-	-	47	Djibouti	
28	280	-	92	>90	-	-	-	Dominica	
21	180	-	92	88	-	1	84	Dominican Republic	
48	285	-	>95	92	-	-	85	Ecuador	
56	68	-	99	99	-	-	95	Egypt	
29	185	-	83	99	-	-	75	El Salvador	
20	511	-	22	54	-	-	75	Equatorial Guinea	
54	12	-	14	-	-	-	16	Eritrea	
21	984	-	92	100	96	-	97	Estonia	

SDG indicator	Survive				Thrive			
	3.1.1	3.2.1	3.2.2	2.2.1	3.7.2	3.8.1		
Global Strategy indicator	Maternal mortality ratio (maternal deaths per 100 000 live births) ¹	Under-5 mortality rate (probability of dying by age 5 per 1000 live births) ²	Neonatal mortality rate (per 1000 total births) ³	Stillbirth rate (per 1000 total births) ⁴	Adolescent mortality rate (per 100 000 population) ^{5 a}	Children aged <5 years stunted (%) ⁶	Adolescent birth rate (per 1000 women aged 15–19 years) ⁷	RMNCH Composite Coverage Index ^{8 b}
Ethiopia	353	59	28	30	192	40	71	37
Fiji	30	22	10	12	59	8	(28)	-
Finland	3	2	1	2	20	-	7	-
France	8	4	2	5	17	-	6	-
Gabon	291	51	23	14	146	18	(115)	69
Gambia	706	69	30	24	224	25	88	64
Georgia	36	12	7	11	39	(11)	42	-
Germany	6	4	2	2	16	(1)	8	-
Ghana	319	62	28	23	211	19	65	68
Greece	3	5	3	4	19	2	8	-
Grenada	27	12	6	8	37	-	53	-
Guatemala	88	29	13	12	99	47	91	-
Guinea	679	94	31	21	255	31	146	46
Guinea-Bissau	549	93	40	37	249	28	(137)	(52)
Guyana	229	39	23	17	102	12	(101)	(73)
Haiti	359	69	25	25	196	22	66	58
Honduras	129	20	11	13	86	23	101	84
Hungary	17	6	4	4	21	3	20	-
Iceland	3	2	1	1	21	-	7	-
India	174	48	28	23	90	(48)	28	(64)
Indonesia	126	27	14	13	83	36	(47)	80
Iran (Islamic Republic of)	25	16	10	6	42	7	38	-
Iraq	50	32	18	16	158	23	(82)	75
Ireland	8	4	2	3	19	-	9	-
Israel	5	4	2	4	17	-	10	-
Italy	4	4	2	3	16	4	6	-
Jamaica	89	16	12	19	48	6	46	-
Japan	5	3	1	2	15	7	4	-
Jordan	58	18	11	11	42	8	26	84
Kazakhstan	12	14	7	7	51	13	36	87
Kenya	510	49	22	23	207	26	96	(67)
Kiribati	90	56	24	16	113	34	50	-
Kuwait	4	9	3	5	38	6	7	-
Kyrgyzstan	76	21	12	10	48	13	42	77

Thrive				Transform					SDG indicator
5.6.2	7.1.2	16.9.1	4.1.1	16.2.3	6.2.1				
Out-of-pocket expenditure as a % of total expenditure on health ⁹	Per capita government expenditure on health (current US\$) ¹⁰	Laws and regulations that guarantee women aged 15–49 access to sexual and reproductive health care, information and education ¹¹	% of population with primary reliance on clean fuels and technologies at the household level ¹²	Civil registration coverage of births (%) ¹³	% of girls at the end of lower secondary education achieving at least minimum proficiency in reading ^{14 c}	% of women aged 18–29 who experienced sexual violence by age 18 ^{15 d}	Population using improved sanitation facilities (%) ¹⁶	Global Strategy indicator	
32	16	-	<5	(7)	-	-	28	Ethiopia	
23	134	-	37	>90	-	-	91	Fiji	
18	3473	-	>95	100	95	-	98	Finland	
6	3878	-	>95	100	87	-	99	France	
22	220	-	73	90	-	9	42	Gabon	
17	21	-	<5	72	-	0.4	59	Gambia	
59	63	-	55	100	-	-	86	Georgia	
13	4165	-	>95	100	91	-	99	Germany	
27	35	-	21	71	-	(10)	15	Ghana	
35	1075	-	>95	100	87	-	99	Greece	
51	235	-	>95	-	-	-	98	Grenada	
52	88	-	36	(97)	-	-	64	Guatemala	
45	15	-	6	58	-	-	20	Guinea	
49	8	-	<5	24	-	-	21	Guinea-Bissau	
37	132	-	61	89	-	-	84	Guyana	
35	13	-	9	80	-	4	28	Haiti	
43	108	-	48	94	-	5	83	Honduras	
27	684	-	>95	100	87	-	98	Hungary	
17	3778	-	>95	100	88	-	99	Iceland	
62	23	-	34	72	-	(1)	40	India	
47	38	-	57	69	52	-	61	Indonesia	
48	202	-	>95	99	-	-	90	Iran (Islamic Republic of)	
40	176	-	>95	99	-	-	86	Iraq	
18	2800	-	>95	100	94	-	90	Ireland	
27	1771	-	>95	100	85	-	100	Israel	
21	2463	-	>95	100	87	-	100	Italy	
28	139	-	93	100	-	-	82	Jamaica	
14	3095	-	>95	100	94	-	100	Japan	
21	250	-	>95	99	67	-	99	Jordan	
45	293	-	92	100	53	-	98	Kazakhstan	
26	48	-	6	67	-	4	30	Kenya	
0	125	-	<5	(94)	-	-	40	Kiribati	
13	1191	-	>95	>90	-	-	100	Kuwait	
39	46	-	76	98	-	0	93	Kyrgyzstan	

SDG indicator	Survive				Thrive			
	3.1.1	3.2.1	3.2.2	2.2.1	3.7.2	3.8.1		
Global Strategy indicator	Maternal mortality ratio (maternal deaths per 100 000 live births) ¹	Under-5 mortality rate (probability of dying by age 5 per 1000 live births) ²	Neonatal mortality rate (per 1000 total births) ³	Stillbirth rate (per 1000 live births) ⁴	Adolescent mortality rate (per 100 000 population) ^{5 a}	Children aged <5 years stunted (%) ⁶	Adolescent birth rate (per 1000 women aged 15–19 years) ⁷	RMNCH Composite Coverage Index ^{8 b}
Lao People's Democratic Republic	197	67	30	24	107	44	94	61
Latvia	18	8	5	4	29	-	15	-
Lebanon	15	8	5	10	39	17	17	-
Lesotho	487	90	33	20	193	33	94	(72)
Liberia	725	70	24	21	201	32	147	61
Libya	9	13	7	9	69	(21)	(6)	-
Lithuania	10	5	3	3	35	-	14	-
Luxembourg	10	2	1	3	11	-	6	-
Madagascar	353	50	20	18	170	(49)	(148)	(63)
Malawi	634	64	22	22	186	42	143	80
Malaysia	40	7	4	6	46	(17)	13	-
Maldives	68	9	5	8	33	(20)	14	(80)
Mali	587	115	38	33	232	(39)	172	49
Malta	9	6	4	4	14	-	13	-
Marshall Islands	-	36	17	16	-	-	85	-
Mauritania	602	85	36	27	141	22	71	53
Mauritius	53	14	8	10	36	14	29	-
Mexico	38	13	7	6	48	14	71	-
Micronesia (Federated States of)	100	35	19	18	81	-	33	-
Monaco	-	4	2	6	-	-	-	-
Mongolia	44	22	11	7	53	11	27	87
Montenegro	7	5	3	4	24	9	13	78
Morocco	121	28	18	25	30	15	(32)	-
Mozambique	489	79	27	19	279	43	167	60
Myanmar	178	50	26	20	112	35	30	-
Namibia	265	45	16	11	93	23	82	79
Nauru	-	35	23	16	-	(24)	105	-
Nepal	258	36	22	18	90	37	71	69
Netherlands	7	4	2	2	13	2	5	-
New Zealand	11	6	3	2	35	-	19	-
Nicaragua	150	22	10	7	62	(23)	(92)	-

Thrive				Transform				SDG indicator
5.6.2	7.1.2	16.9.1	4.1.1	16.2.3	6.2.1			
Out-of-pocket expenditure as a % of total expenditure on health ⁹	Per capita government expenditure on health (current US\$) ¹⁰	Laws and regulations that guarantee women aged 15–49 access to sexual and reproductive health care, information and education ¹¹	% of population with primary reliance on clean fuels and technologies at the household level ¹²	Civil registration coverage of births (%) ¹³	% of girls at the end of lower secondary education achieving at least minimum proficiency in reading ^{14 c}	% of women aged 18–29 who experienced sexual violence by age 18 ^{15 d}	Population using improved sanitation facilities (%) ¹⁶	Global Strategy indicator
39	16	-	<5	75	-	-	-	71
35	582	-	>95	100	92	-	88	Latvia
36	271	-	>95	(100)	-	-	81	Lebanon
16	80	-	32	(45)	-	-	30	Lesotho
31	15	-	<5	25	-	(4)	17	Liberia
26	273	-	-	-	-	-	97	Libya
31	722	-	>95	100	90	-	92	Lithuania
11	6830	-	>95	100	82	-	98	Luxembourg
41	7	-	<5	83	-	-	12	Madagascar
11	15	-	<5	6	-	6	41	Malawi
35	252	-	>95	>90	57	-	96	Malaysia
18	913	-	>95	(93)	-	-	98	Maldives
48	14	-	<5	81	-	-	25	Mali
29	1709	-	>95	100	-	-	100	Malta
12	527	-	41	(96)	-	-	77	Marshall Islands
44	24	-	45	59	-	-	40	Mauritania
46	237	-	>95	>90	-	-	93	Mauritius
44	351	-	86	93	65	-	85	Mexico
9	376	-	25	-	-	-	57	Micronesia (Federated States of)
7	7216	-	>95	100	-	-	100	Monaco
42	108	-	32	99	-	-	60	Mongolia
43	262	-	74	>90	71	-	96	Montenegro
58	64	-	>95	94	-	-	77	Morocco
9	24	-	4	48	-	8	21	Mozambique
51	9	-	9	72	-	-	80	Myanmar
7	201	-	46	87	-	1	34	Namibia
2	445	-	>95	(83)	-	-	66	Nauru
48	16	-	26	58	-	1	46	Nepal
5	4954	-	>95	100	89	-	98	Netherlands
11	4032	-	>95	100	89	-	-	New Zealand
38	100	-	49	85	-	-	68	Nicaragua

SDG indicator	Survive				Thrive				SDG indicator
	3.1.1	3.2.1	3.2.2	2.2.1	3.7.2	3.8.1			
Global Strategy indicator	Maternal mortality ratio (maternal deaths per 100 000 live births) ¹	Under-5 mortality rate (probability of dying by age 5 per 1000 live births) ²	Neonatal mortality rate (per 1000 total births) ³	Stillbirth rate (per 1000 total births) ⁴	Adolescent mortality rate (per 100 000 population) ^{5 a}	Children aged <5 years stunted (%) ⁶	Adolescent birth rate (per 1000 women aged 15–19 years) ⁷	RMNCH Composite Coverage Index ^{8 b}	
Niger	553	96	27	37	159	43	206	56	
Nigeria	814	109	34	43	340	33	122	43	
Niue	-	23	13	10	-	-	(14)	-	
Norway	5	3	2	2	16	-	5	-	
Oman	17	12	5	9	43	14	14	-	
Pakistan	178	81	46	43	88	45	44	62	
Palau	-	16	9	8	-	-	27	-	
Panama	94	17	10	6	82	(19)	91	81	
Papua New Guinea	215	57	25	16	116	50	65	-	
Paraguay	132	21	11	13	78	11	(63)	-	
Peru	68	17	8	9	66	15	65	84	
Philippines	114	28	13	11	75	30	57	77	
Poland	3	5	3	2	31	-	14	-	
Portugal	10	4	2	2	17	-	11	-	
Qatar	13	8	4	6	42	12	13	-	
Republic of Korea	11	3	2	2	18	3	2	-	
Republic of Moldova	23	16	12	8	35	6	27	88	
Romania	31	11	6	4	34	13	39	-	
Russian Federation	25	10	5	5	50	-	27	-	
Rwanda	290	42	19	17	190	44	45	73	
Saint Kitts and Nevis	-	11	7	8	-	-	75	-	
Saint Lucia	48	14	9	12	66	3	(43)	-	
Saint Vincent and the Grenadines	45	18	12	11	49	-	(70)	-	
Samoa	51	18	10	11	32	6	(44)	-	
San Marino	-	3	1	3	-	-	1	-	
Sao Tome and Principe	156	47	17	16	145	17	92	(75)	
Saudi Arabia	12	15	8	14	67	(9)	(18)	-	
Senegal	315	47	21	25	120	19	80	65	
Serbia	17	7	4	6	21	6	22	-	
Seychelles	-	14	9	10	30	8	61	-	

	Thrive				Transform				SDG indicator
	5.6.2	7.1.2	16.9.1	4.1.1	16.2.3	6.2.1			
Out-of-pocket expenditure as a % of total expenditure on health ⁹	Per capita government expenditure on health (current US\$) ¹⁰	Laws and regulations that guarantee women aged 15–49 access to sexual and reproductive health care, information and education ¹¹	% of population with primary reliance on clean fuels and technologies at the household level ¹²	Civil registration coverage of births (%) ¹³	% of girls at the end of lower secondary education achieving at least minimum proficiency in reading ^{14 c}	% of women aged 18–29 who experienced sexual violence by age 18 ^{15 d}	Population using improved sanitation facilities (%) ¹⁶		Global Strategy indicator
34	10	-	<5	64	-	-	-	11	Niger
72	30	-	<5	30	-	4	29		Nigeria
2	1143	-	91	>90	-	-	100		Niue
14	8141	-	>95	100	90	-	98		Norway
6	606	-	>95	-	-	-	97		Oman
56	13	-	45	34	-	-	64		Pakistan
15	833	-	58	-	-	-	100		Palau
22	702	-	86	>90	-	-	75		Panama
10	75	-	31	-	-	-	19		Papua New Guinea
49	213	-	64	85	-	-	89		Paraguay
29	217	-	68	97	45	-	76		Peru
54	46	-	45	90	-	(3)	74		Philippines
23	646	-	>95	100	95	-	97		Poland
27	1359	-	>95	100	88	-	100		Portugal
7	1806	-	>95	>90	55	-	98		Qatar
36	1114	-	>95	>90	96	-	100		Republic of Korea
38	118	-	93	100	-	(5)	76		Republic of Moldova
19	448	-	82	>90	72	-	79		Romania
46	466	-	>95	100	85	-	72		Russian Federation
28	20	-	<5	63	-	10	62		Rwanda
51	325	-	>95	-	-	-	-		Saint Kitts and Nevis
46	268	-	>95	92	-	-	91		Saint Lucia
49	292	-	>95	(>90)	-	-	-		Saint Vincent and the Grenadines
6	273	-	27	59	-	-	91		Samoa
6	3237	-	>95	100	-	-	-		San Marino
11	-	-	30	95	-	(3)	35		Sao Tome and Principe
14	855	-	>95	-	-	-	100		Saudi Arabia
37	26	-	36	73	-	-	48		Senegal
37	392	-	71	99	77	-	96		Serbia
2	456	-	>95	>90	-	-	98		Seychelles

SDG indicator	Survive				Thrive			
	3.1.1	3.2.1	3.2.2		2.2.1	3.7.2	3.8.1	
Global Strategy indicator	Maternal mortality ratio (maternal deaths per 100 000 live births) ¹	Under-5 mortality rate (probability of dying by age 5 per 1000 live births) ²	Neonatal mortality rate (per 1000 total births) ³	Stillbirth rate (per 1000 live births) ⁴	Adolescent mortality rate (per 100 000 population) ^{5 a}	Children aged <5 years stunted (%) ⁶	Adolescent birth rate (per 1000 women aged 15–19 years) ⁷	RMNCH Composite Coverage Index ^{8 b}
Sierra Leone	1360	120	35	24	412	38	125	67
Singapore	10	3	1	3	15	4	3	-
Slovakia	6	7	4	3	26	-	21	-
Slovenia	9	3	1	3	22	-	5	-
Solomon Islands	114	28	12	18	87	(33)	(62)	-
Somalia	732	137	40	36	326	(25)	64	-
South Africa	138	41	11	17	129	(24)	(54)	-
South Sudan	789	93	39	30	292	31	(158)	-
Spain	5	4	3	3	14	-	8	-
Sri Lanka	30	10	5	5	58	15	(20)	-
Sudan	311	70	30	24	189	38	87	50
Suriname	155	21	12	19	76	9	(65)	-
Swaziland	389	61	14	12	189	26	87	80
Sweden	4	3	2	3	17	-	5	-
Switzerland	5	4	3	3	16	-	2	-
Syrian Arab Republic	68	13	7	11	332	(28)	(54)	(77)
Tajikistan	32	45	21	14	48	27	54	74
Thailand	20	12	7	5	51	16	60	-
The Former Yugoslav Republic of Macedonia	8	6	4	8	23	5	19	86
Timor-Leste	215	53	22	18	88	50	50	(59)
Togo	368	78	27	34	225	28	85	57
Tonga	124	17	7	9	35	8	30	-
Trinidad and Tobago	63	20	13	11	57	5	(36)	-
Tunisia	62	14	8	9	37	10	7	85
Turkey	16	14	7	7	75	10	29	-
Turkmenistan	42	51	23	17	82	(19)	(21)	(81)
Tuvalu	-	27	18	14	-	(10)	(42)	-
Uganda	343	55	19	21	223	34	140	65
Ukraine	24	9	6	9	46	4	27	88
United Arab Emirates	6	7	4	7	46	-	(34)	-

	Thrive				Transform				SDG indicator
	5.6.2	7.1.2	16.9.1	4.1.1	16.2.3	6.2.1			
Out-of-pocket expenditure as a % of total expenditure on health ⁹	Per capita government expenditure on health (current US\$) ¹⁰	Laws and regulations that guarantee women aged 15–49 access to sexual and reproductive health care, information and education ¹¹	% of population with primary reliance on clean fuels and technologies at the household level ¹²	Civil registration coverage of births (%) ¹³	% of girls at the end of lower secondary education achieving at least minimum proficiency in reading ^{14 c}	% of women aged 18–29 who experienced sexual violence by age 18 ^{15 d}	Population using improved sanitation facilities (%) ¹⁶		Global Strategy indicator
61	15	-	<5	77	-	2	13	Sierra Leone	
55	1149	-	>95	>90	94	-	100	Singapore	
23	1055	-	>95	100	80	-	99	Slovakia	
12	1550	-	>95	100	89	-	99	Slovenia	
5	94	-	9	-	-	-	30	Solomon Islands	
-	-	-	9	(3)	-	-	-	Somalia	
6	275	-	82	85	-	-	66	South Africa	
54	12	-	<5	35	-	-	7	South Sudan	
24	1884	-	>95	100	87	-	100	Spain	
42	71	-	19	(97)	-	-	95	Sri Lanka	
76	28	-	23	67	-	-	-	Sudan	
11	304	-	91	99	-	-	79	Suriname	
10	188	-	35	54	-	-	57	Swaziland	
14	5721	-	>95	100	86	-	99	Sweden	
27	6385	-	>95	100	91	-	100	Switzerland	
54	31	-	>95	(96)	-	-	96	Syrian Arab Republic	
62	22	-	72	88	-	0.3	95	Tajikistan	
12	177	-	76	99	79	-	93	Thailand	
37	224	-	61	100	-	-	91	The Former Yugoslav Republic of Macedonia	
10	52	-	<5	55	-	1	41	Timor-Leste	
46	13	-	6	78	-	4	12	Togo	
12	175	-	63	93	-	-	91	Tonga	
38	608	-	>95	(97)	-	-	92	Trinidad and Tobago	
38	173	-	>95	99	57	-	92	Tunisia	
18	440	-	-	99	88	-	95	Turkey	
35	122	-	>95	(96)	-	-	-	Turkmenistan	
1	628	-	30	(50)	-	-	-	Tuvalu	
41	13	-	<5	30	-	8	19	Uganda	
46	103	-	>95	100	-	(2)	96	Ukraine	
18	1165	-	>95	100	77	-	98	United Arab Emirates	

SDG indicator	Survive				Thrive			
	3.1.1	3.2.1	3.2.2	2.2.1	3.7.2	3.8.1		
Global Strategy indicator	Maternal mortality ratio (maternal deaths per 100 000 live births) ¹	Under-5 mortality rate (probability of dying by age 5 per 1000 live births) ²	Neonatal mortality rate (per 1000 total births) ³	Stillbirth rate (per 1000 live births) ⁴	Adolescent mortality rate (per 100 000 population) ^{5 a}	Children aged <5 years stunted (%) ⁶	Adolescent birth rate (per 1000 women aged 15–19 years) ⁷	RMNCH Composite Coverage Index ^{8 b}
United Kingdom of Great Britain and Northern Ireland	9	4	2	3	16	4	19	-
United Republic of Tanzania	398	49	19	22	228	35	72	71
United States of America	14	7	4	3	28	2	27	-
Uruguay	15	10	5	7	54	12	64	-
Uzbekistan	36	39	20	12	63	(20)	30	(83)
Vanuatu	78	28	12	14	51	29	78	-
Venezuela (Bolivarian Republic of)	95	15	9	7	115	(13)	95	-
Viet Nam	54	22	11	10	57	19	36	88
Yemen	385	42	22	29	146	47	67	52
Zambia	224	64	21	21	202	40	145	76
Zimbabwe	443	71	24	21	204	28	120	81

Thrive				Transform					SDG indicator
	5.6.2	7.1.2	16.9.1	4.1.1	16.2.3	6.2.1			
Out-of-pocket expenditure as a % of total expenditure on health ⁹	Per capita government expenditure on health (current US\$) ¹⁰	Laws and regulations that guarantee women aged 15–49 access to sexual and reproductive health care, information and education ¹¹	% of population with primary reliance on clean fuels and technologies at the household level ¹²	Civil registration coverage of births (%) ¹³	% of girls at the end of lower secondary education achieving at least minimum proficiency in reading ^{14 c}	% of women aged 18–29 who experienced sexual violence by age 18 ^{15 d}	Population using improved sanitation facilities (%) ¹⁶	Global Strategy indicator	
10	3272	-	>95	100	87	-	99	United Kingdom of Great Britain and Northern Ireland	
23	24	-	<5	15	-	6	16	United Republic of Tanzania	
11	4541	-	>95	100	89	-	100	United States of America	
16	1027	-	>95	100	60	-	96	Uruguay	
44	66	-	90	>90	-	-	100	Uzbekistan	
6	141	-	16	43	-	-	58	Vanuatu	
64	256	-	>95	81	-	-	94	Venezuela (Bolivarian Republic of)	
37	77	-	51	96	95	-	78	Viet Nam	
76	18	-	62	31	-	-	-	Yemen	
30	48	-	16	11	-	5	44	Zambia	
36	22	-	31	32	-	13	37	Zimbabwe	

Notes:

^a The adolescent deaths per country are from the WHO Global Health Estimates for 2015. These are estimated by WHO based on UN life tables and analyses of death registration data submitted to WHO, using standardized methods intended to maximize comparability across countries. The UN Population Division medium variant population estimates for 10 to 14 years and 15 to 19 years for 2015 are used as denominators to compute the rate.

^b Until the full UHC service coverage index is available, the Global Strategy uses a composite coverage index of RMNCH interventions as a proxy. The coverage indicator is the weighted average of coverage of a set of eight preventive and curative RMNCH interventions. It gives equal weight to four stages in the continuum of care: family planning, maternal and newborn care, immunization, and case management of sick children. The estimate is calculated as follows: $1/4 (\text{FPS} + (\text{SBA} + \text{ANC1})/2 + (2\text{DPT3} + \text{MSL} + \text{BCG})/4 + (\text{ORT} + \text{CPNM})/2)$. Where: FPS = family planning need satisfied; SBA = skilled birth attendance; ANC1 = at least one antenatal visit with a skilled provider; DPT3 = three doses of diphtheria-pertussis-tetanus vaccine; MSL = measles vaccination; BCG = BCG (tuberculosis) vaccination; ORT = oral rehydration therapy for children with diarrhoea; and CPNM = care-seeking for children showing symptoms of pneumonia.

^c This is one of 12 sub-indicators under the main indicator: "Proportion of children and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficiency level in (i) reading and (ii) mathematics, by sex". Estimates for the remaining sub-indicators are available on the portal.

^d This is one of two sub-indicators under the main indicator: "Proportion of young women and men aged 18–29 who experienced sexual violence by age 18". Estimates for the other sub-indicator are available on the portal.

REFERENCES AND LINKS TO DATASETS

The latest available country data and/or estimates for all 60 EWEC *Global Strategy* indicators are collated and available from the *Global Strategy* portal on the WHO Global Health Observatory website: <http://apps.who.int/gho/data/node.gswcah?lang=en>.

All SDG indicators also are available through the Global SDG Indicators Database: <https://unstats.un.org/sdgs/indicators/database>.

GS indicators (include number if SDG indicator)	References and links to datasets
¹ Maternal mortality ratio	Trends in maternal mortality: 1990 to 2015: Estimates by WHO, UNICEF, UNFPA, World Bank Group and the United Nations Population Division. Geneva: World Health Organization; 2015. Available from: http://www.who.int/reproductivehealth/publications/monitoring/maternal-mortality-2015/en .
² Under-5 mortality rate	United Nations Inter-Agency Group for Child Mortality Estimates (UN IGME). Levels and Trends in Child Mortality: Report 2015. New York: United Nations Children's Fund; 2015. Available from: http://www.childmortality.org .
³ Neonatal mortality rate	United Nations Inter-Agency Group for Child Mortality Estimates (UN IGME). Levels and Trends in Child Mortality: Report 2015. New York: United Nations Children's Fund. Available from: http://www.childmortality.org .
⁴ Stillbirth rate	Blencowe H, Cousens S, Jassir FB, Say L, Chou D, Mathers C, et al. National, regional, and worldwide estimates of stillbirth rates in 2015, with trends from 2000: a systematic analysis. <i>Lancet Glob Health</i> . 2016;4(2):e98-e108. Available from: https://www.ncbi.nlm.nih.gov/pubmed/26795602 .
⁵ Adolescent mortality rate, by age and sex	WHO. Global health estimates 2015: deaths by cause, age, sex, by country and by region, 2000-2015. Geneva: World Health Organization; 2015. Available from: http://www.who.int/healthinfo/global_burden_disease/estimates/en/index1.html .
⁶ Prevalence of stunting (height for age <-2 standard deviations from the median of the WHO Child Growth Standards) among children under 5 years of age	UNICEF and WHO. Joint child malnutrition estimates – levels and trends. Geneva: UNICEF, WHO, The World Bank Group; 2017. Available from: http://www.who.int/nutgrowthdb/estimates2016/en .
⁷ Adolescent birth rate (15-19) per 1000 women in that age group	United Nations. World Fertility Data 2015. United Nations, Department of Economic and Social Affairs, Population Division (2015). World Population Prospects: The 2015 Revision, DVD Edition. http://esa.un.org/unpd/wpp/Download/Standard/Fertility . http://www.un.org/en/development/desa/population/publications/dataset/fertility/wfd2015.shtml .

GS indicators (include number if SDG indicator)	References and links to datasets
⁸ Interim indicator: RMNCH Composite Coverage Index as SDG 3.8.1 is under development.	WHO Health Equity Monitor and Countdown to 2030. Available from: http://www.who.int/gho/health_equity/services/rmnch_composite_coverage_index/en .
Main indicator: Coverage of essential health services (index based on tracer interventions that include reproductive, maternal, newborn and child health, infectious diseases, non-communicable diseases and service capacity and access) [SDG 3.8.1] – Universal Health Coverage Index under development.	
⁹ Out-of-pocket health expenses as percentage of total health expenditure.	WHO Global Health Expenditure Database 2017. Geneva: World Health Organization. Available from: http://apps.who.int/nha/database/Select/Indicators/en .
¹⁰ Current country health expenditure per capita (including specifically on RMNCAH) financed from domestic sources.	WHO Global Health Expenditure Database 2017. Geneva: World Health Organization. Available from: http://apps.who.int/nha/database/Select/Indicators/en .
¹¹ Number of countries with laws and regulations that guarantee women aged 15-49 access to sexual and reproductive health care, information and education	Currently under development; will be available from UNFPA and UN Women.
¹² Proportion of population with primary reliance on clean fuels and technology	WHO. Burning opportunity: clean household energy for health, sustainable development, and well-being of women and children. Geneva: World Health Organization; 2016. Available from: http://apps.who.int/iris/bitstream/10665/204717/1/9789241565233_eng.pdf?ua=1 .
¹³ Proportion of children under 5 years of age whose births have been registered with a civil authority, by age	UNICEF Global Databases 2017. New York: UNICEF. Available from: https://data.unicef.org/topic/child-protection/birth-registration .
¹⁴ Proportion of children and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficiency level in (i) reading and (ii) mathematics, by sex	UNESCO Institute for Statistics (UNESCO-UIS) 2017. Available from: http://www.uis.unesco.org/Pages/default.aspx .
¹⁵ Proportion of young women and men aged 18-29 who experienced sexual violence by age 18	UNICEF Global Databases 2017. New York: UNICEF. Available from: https://data.unicef.org/topic/child-protection .
¹⁶ Percentage of population using safely managed sanitation services including a hand-washing facility with soap and water	WHO/UNICEF Joint Monitoring Programme for Water Supply and Sanitation. 2015. Available from: https://www.wssinfo.org/data-estimates .